

**References associated with Appendix 1 in Gill R, and RB Jackson. Global Patterns of root turnover for terrestrial ecosystems. *New Phytologist* 2000 81:275-280.**

- Aber JD, Melillo JM, Nadelhoffer KJ, McClaugherty CA, Pastor J. 1985.** Fine root turnover in forest ecosystems in relation to quantity and form of nitrogen availability : a comparison of two methods. *Oecologia* **66**: 317-321.
- Aerts R, Bakker C, De Caluwe H. 1992.** Root turnover as determinant of the cycling of C, N, and P in a dry heathland ecosystem. *Biogeochemistry* **15**: 175-190.
- Ares J. 1976.** Dynamics of the root system of Blue Gramma. *Journal of Range Management* **29**: 208-213.
- Arneeth A, Kelliher FM, McSeveny TM, Byers JN. 1998.** Net ecosystem productivity, net primary productivity and ecosystem carbon sequestration in a *Pinus radiata* plantation subject to soil water deficit. *Tree Physiology* **18**: 785-793.
- Arthur MA, Fahey TJ. 1992.** Biomass and nutrients in an Englemann spruce-subalpine fir forest in north central Colorado: pools, annual production, and internal cycling. *Canadian Journal of Forest Research* **22**: 315-325.
- Arunachalam A, Pandey HN, Tripathi RS, Maithani K. 1996.** Biomass and production of fine and coarse roots during regrowth of a disturbed subtropical humid forest in north-east India. *Vegetatio* **123**: 73-80.
- Beets PN, Whitehead D. 1996.** Carbon partitioning in *Pinus radiata* stands in relation to foliage nitrogen status. *Tree Physiology* **16**: 131-138.
- Berendse F, Beltman B, Bobbink R, Kwant R, Schmitz M. 1987.** Primary production and nutrient availability in wet heathland ecosystems. *Acta Oecologica* **8**: 265-279.
- Bernard JM. 1974.** Seasonal changes in standing crop and primary production in a sedge wetland and an adjacent dry oldfield in central Minnesota. *Ecology* **55**: 350-359.
- Bernard JM, Bernard FA. 1973.** Winter biomass in *Typha glauca* Godr. and *Sparganium eurycarpum* Engelm. *Bulletin of the Torrey Botanical Club* **100**: 125-131.
- Bernard JM, Hankinson G. 1979.** Seasonal changes in standing crop, primary production, and nutrient levels in a *Carex rostrata* wetland. *Oikos* **32**: 328-336.
- Bernard JM, Seischab FK, Jacoby G. 1985.** Life history and production of above- and belowground structures of *Cladium mariscoides* (Muhl.) Torr. in a western New York fen. *Bulletin of the Torrey Botanical Club* **112**: 288-294.

- Biondini ME, Patton BD, Nyren PE. 1998.** Grazing intensity and ecosystem processes in a northern mixed-grass prairie, USA. *Ecological Applications* **8**: 469-479.
- Bliss LC. 1975.** Devon Island, Canada. In: Rosswall T, Heal OW, eds. *Structure and function of tundra ecosystems*. Stockholm, Sweden: Ecology Bulletin, 17-60.
- Burke MK, Raynal DJ. 1994.** Fine root growth phenology, production, and turnover in a northern hardwood forest ecosystem. *Plant and Soil* **162**: 135-146.
- Buyanovsky GA, Kucera CL, Wagner GH. 1987.** Comparative analyses of carbon dynamics in native and cultivated ecosystems. *Ecology* **68**: 2023-2031.
- Caldwell MM, White RS, Moore RT, Camp LB. 1977.** Carbon balance, productivity, and water use of cold-winter desert shrub communities dominated by C<sub>3</sub> and C<sub>4</sub> species. *Oecologia* **29**: 275-300.
- Campbell JJ, Finer L, Messier C. 1998.** Fine-root production in small experimental gaps in successional mixed boreal forests. *Journal of Vegetation Science* **9**: 537-542.
- Comeau PG, Kimmins JP. 1989.** Above- and below-ground biomass and production of lodgepole pine on sites with differing soil moisture regimes. *Canadian Journal of Forest Research* **19**: 447-454.
- Coupland RT. 1992.** Mixed prairie. In: Coupland RT, ed. *Grasslands of the World*. Amsterdam, The Netherlands: Elsevier, 151-182.
- Cuevas E, Brown S, Lugo AE. 1991.** Above- and belowground organic matter storage and production in a tropical pine plantation and a paired broadleaf secondary forest. *Plant and Soil* **135**: 257-268.
- Cuevas E, Medina E. 1988.** Nutrient dynamics within Amazonian forests. II. Fine root growth, nutrient availability and leaf litter decomposition. *Oecologia* **76**: 222-235.
- Dahlman RC, Kucera CL. 1965.** Root productivity and turnover in native prairie. *Ecology* **46**: 84-89.
- Dahlman RC, Kucera CL. 1967.** Carbon-14 cycling in the root and soil components of a prairie ecosystem. *Proceedings of the 2nd National Symposium on Radioecology*, 652-660.
- de la Cruz AA. 1973.** The role of tidal marshes in the productivity of coastal marshes. *Association of SE Biology Bulletin* **20**: 147-156.
- de la Cruz AA, Hackney CT. 1977.** Energy value, elemental composition and productivity of the belowground biomass of a *Juncus* tidal marsh. *Ecology* **58**: 1165-1170.

- Devidas S, Puyravaud JP. 1995.** Primary productivity of the herbaceous layer in a grazed savanna woodland, Bandipur National Park, southern India. *Acta Oecologica* **16**: 491-505.
- Edwards NT, Harris WF. 1977.** Carbon cycling in a mixed deciduous forest floor. *Ecology* **58**: 431-437.
- Elkington TT, Jones BMG. 1974.** Biomass and primary productivity of birch (*Betula pubescens*) in south-west Greenland. *Journal of Ecology* **62**: 821-830.
- Fabiao A, Persson HA, Steen E. 1985.** Growth dynamics of superficial roots in Portuguese plantations of *Eucalyptus globulus* Labill. studied with a mesh bag technique. *Plant and Soil* **83**: 233-242.
- Fahey TJ, Hughes JW. 1994.** Fine root dynamics in a northern hardwood forest ecosystem, Hubbard Brook Experimental Forest, NH. *Journal of Ecology* **82**: 533-548.
- Fiala K. 1976.** Underground organs of *Phragmites communis*, their growth, biomass and net production. *Folia Geobotanica et Phytotaxonomica* **11**: 225-259.
- Finer L, Laine J. 1998.** Root dynamics at drained peatland sites of different fertility in southern Finland. *Plant and Soil* **201**: 27-36.
- Finer L, Messier C, De Grandpre L. 1997.** Fine-root dynamics in mixed boreal conifer-broad-leafed forest stands at different successional stages after fire. *Canadian Journal of Forest Research* **27**: 304-314.
- Fisk MC, Schmidt SK, Seastedt TR. 1998.** Topographic patterns of above- and belowground production and nitrogen cycling in alpine tundra. *Ecology* **79**: 2253-2266.
- Fitter AH, Graves JD, Wolfenden J, Self GK, Brown TK, Bogie D, Mansfield T. 1997.** Root production and turnover and carbon budgets of two contrasting grasslands under ambient and elevated atmospheric carbon dioxide concentrations. *New Phytologist* **137**: 247-255.
- Fogel R. 1983.** Root turnover and productivity of coniferous forests. *Plant and Soil* **71**: 75-85.
- Fogel R, Hunt G. 1983.** Contribution of mycorrhizae and soil fungi to nutrient cycling in a Douglas-fir ecosystem. *Canadian Journal of Forest Research* **13**: 219-232.
- Fredericksen TS, Zedaker SM. 1995.** Fine root biomass, distribution, and production in young pine-hardwood stands. *New Forests* **10**: 99-110.

- Garcia-Moya E, Castro PM. 1992.** Saline grassland near Mexico City. In: Long SP, Jones MB, Roberts MJ, eds. *Primary productivity of grass ecosystems of the tropics and sub-tropics*. London, UK: Chapman & Hall, 70-99.
- Garkoti SC, Singh SP. 1995.** Variation in net primary productivity and biomass of forests in the high mountains of central Himalaya. *Journal of Vegetation Science* **6**: 23-28.
- Gholz HL, Hendry LC, Cropper WP Jr. 1986.** Organic matter dynamics of fine roots in plantations of slash pine (*Pinus elliotti*) in north Florida. *Canadian Journal of Forest Research* **16**: 529-538.
- Giroux JF, Bedard J. 1988.** Estimating above-ground and belowground macrophyte production in *Scirpus* tidal marshes. *Canadian Journal of Botany* **66**: 368-374.
- Gower ST, Vogt KA, Grier CC. 1992.** Carbon dynamics of Rocky Mountain Douglas-fir: influence of water and nutrient availability. *Ecological Monographs* **62**: 43-65.
- Grier CC, Logan RS. 1977.** Old-growth *Pseudotsuga menziesii* communities of a western Oregon watershed: biomass distribution and production budgets. *Canadian Journal of Forest Research* **47**: 373-400.
- Grier CC, Vogt KA, Keyes MR, Edmonds RL. 1981.** Biomass distribution and above- and below-ground production in young and mature *Abies amabilis* zone ecosystems of the Washington Cascades. *Canadian Journal of Forest Research* **11**: 155-167.
- Gupta SR, Singh JS. 1982.** Influence of floristic composition on the net primary production and dry matter turnover in a tropical grassland. *Australian Journal of Ecology* **7**: 363-374.
- Hackney CT, de la Cruz AA. 1986.** Belowground productivity of roots and rhizomes in a giant cordgrass marsh. *Estuaries* **9**: 112-116.
- Hayes DC, Seastedt TR. 1987.** Root dynamics of tallgrass prairie in wet and dry years. *Canadian Journal of Botany* **65**: 787-791.
- Haynes BE, Gower ST. 1995.** Belowground carbon allocation in unfertilized and fertilized red pine plantations in northern Wisconsin. *Tree Physiology* **15**: 317-325.
- Heal OW, Jones HE, Whittaker JB. 1975.** Moor House, UK. In: Rosswall T, Heal OW, eds. *Structure and function of tundra ecosystems*. Stockholm, Sweden: Ecology Bulletin, 295-320.

- Hendrick RL, Pregitzer KS. 1993.** The dynamics of fine root length, biomass, and nitrogen content in two northern hardwood ecosystems. *Canadian Journal of Forest Research* **23**: 2507-2520.
- Hendricks JJ, Nadelhoffer KJ, Aber JD. 1993.** Assessing the role of fine roots in carbon and nutrient cycling. *Trends in Ecological Evolution* **8**: 174-178.
- Hnatiuk RJ. 1993.** Grasslands of the sub-antarctic islands. In: Coupland RT, ed. *Natural grasslands*. Amsterdam, The Netherlands: Elsevier, 411-482.
- Ingham RE, Detling JK. 1984.** Plant-herbivore interactions in a North American mixed-grass prairie. 3. Soil nematode populations and root biomass on *Cynomys ludovicianus* colonies and adjacent uncolonized areas. *Oecologia* **63**: 307-313.
- Jenkin JF. 1975.** Macquarie Island, Subantarctic. In: Rosswall T, Heal OW, eds. *Structure and function of tundra ecosystems*. Stockholm, Sweden: Ecology Bulletin, 375-397.
- Jones MB, Muthuri FM. 1997.** Standing biomass and carbon distribution in a papyrus (*Cyperus papyrus* L.) swamp on Lake Naivasha, Kenya. *Journal of Tropical Ecology* **13**: 347-356.
- Jordan CF, Escalante G. 1980.** Root productivity in an Amazonian rain forest. *Ecology* **61**: 14-18.
- Joshi SK, Pati DP, Behera N. 1990.** Primary production of herbaceous layer in a tropical deciduous forest in Orissa, India. *Tropical Ecology* **31**: 73-83.
- Joslin JD, Henderson GS. 1987.** Organic matter and nutrients associated with fine root turnover in a white oak stand. *Forest Science* **33**: 330-346.
- Kamnalrut A, Evenson JP. 1992.** Monsoon grassland in Thailand. In: Long SP, Jones MB, Roberts MJ, eds. *Primary productivity of grass ecosystems of the tropics and sub-tropics*. London, UK: Chapman & Hall, 100-126.
- Keith H, Raison RJ, Jacobsen KL. 1997.** Allocation of carbon in a mature eucalyptus forest and some effects of soil phosphorous availability. *Plant and Soil* **196**: 81-99.
- Kestemont P. 1982.** Belgium. In: Cannell MGR, ed. *World forest biomass and primary production data*. London, UK: Academic Press, 27.
- Keyes MR, Grier CC. 1981.** Above- and belowground net production in 40-year-old Douglas-fir stands on low and high productivity sites. *Canadian Journal of Forest Research* **11**: 599-605.

- Kinyamario JI, Imbamba SK. 1992.** Savanna at Nairobi National Park, Nairobi. In: Long SP, Jones MB, Roberts MJ, eds. *Primary productivity of grass ecosystems of the tropics and sub-tropics*. London, UK: Chapman & Hall, 25-69.
- Kumar A, Joshi MC. 1972.** The effects of grazing on the structure and productivity of the vegetation near Pilani, Rajasthan, India. *Journal of Ecology* **60**: 665-674.
- Kummerow J, Castillanos J, Maas M, Larigauderie A. 1990.** Production of fine roots and the seasonality of their growth in a Mexican deciduous dry forest. *Vegetatio* **90**: 73-80.
- Kvet J, Westlake DF. 1998.** Primary production in wetlands. In: Westlake DF, Kvet J, Szczepanski A, eds. *The production ecology of wetlands*. Cambridge, UK: Cambridge University Press, 78-168.
- Lana PDC, Guiss C, Disaro ST. 1991.** Seasonal variation of biomass and production dynamics for above- and belowground components of a *Spartina alterniflora* marsh in the Euhaline sector of Paranagua Bay (SE Brazil). *Estuarine, Coastal and Shelf Science* **32**: 231-242.
- Lehmann J, Zech W. 1998.** Fine root turnover of irrigated hedgerow intercropping in northern Kenya. *Plant and Soil* **198**: 19-31.
- Long SP, Garcia Moya E, Imbamba SK, Kamnalrut A, Piedade MTF, Scurlock JMO, Shen YK, Hall DO. 1989.** Primary productivity of natural grass ecosystems of the tropics: a reappraisal. *Plant and Soil* **115**: 155-166.
- Marshall JK. 1977.** Biomass and production partitioning in response to environment in some North American grasslands. In: Marshall JK, ed. *The belowground ecosystem: a synthesis of plant-associated processes*. Fort Collins, CO, USA: Colorado State University, 73-84.
- Martínez F, Merino O, Martín A, Martín DG, Merino J. 1998.** Belowground structure and production in a Mediterranean sand dune shrub community. *Plant and Soil* **201**: 209-216.
- McClougherty CA, Aber JD, Melillo JM. 1982.** The role of fine roots in the organic matter and nitrogen budgets of two forested ecosystems. *Ecology* **63**: 1481-1490.
- McNaughton SJ, Banyikwa FF, McNaughton MM. 1998.** Root biomass and productivity in a grazing ecosystem: the Serengeti. *Ecology* **79**: 587-592.
- Megonigal JP, Day FP Jr. 1988.** Organic matter dynamics in four seasonally flooded forest communities of the Dismal Swamp (USA). *American Journal of Botany* **75**: 1334-1343.

- Menaut JC, Cesar J. 1979.** Structure and primary production of Lamto Savannas, Ivory Coast. *Ecology* **60**: 1197-1210.
- Milchunas DG, Lauenroth WK. 1992.** Carbon dynamics and estimates of primary production by harvest,  $^{14}\text{C}$  dilution, and  $^{14}\text{C}$  turnover. *Ecology* **73**: 593-607.
- Milchunas DG, Lauenroth WK, Singh JS, Cole CV, Hunt HW. 1985.** Root turnover and production by  $^{14}\text{C}$  dilution : implications of carbon partitioning in plants. *Plant and Soil* **88**: 353-365.
- Miller PC, Webber PJ, Oechel WC, Tieszen LL. 1980.** Biophysical processes and primary production. In: Brown J, Miller PC, Tieszen LL, Bunnell FL, eds. *An Arctic ecosystem: the coastal tundra at Barrow, Alaska*. Stroudsburg, PA, USA: Dowden, Hutchinson & Ross, 66-101.
- Misra MK, Misra BN. 1984.** Biomass and primary production in an Indian grassland. *Tropical Ecology* **25**: 239-247.
- Nadelhoffer KJ, Aber J, Melillo JM. 1985.** Fine roots, net primary production, and soil nitrogen availability : a new hypothesis. *Ecology* **66**: 1377-1390.
- Neill C. 1992.** Comparison of soil coring and ingrowth methods for measuring belowground production. *Ecology* **73**: 1918-1921.
- Neill C. 1994.** Primary production and management of seasonally flooded prairie marshes harvested for wild hay. *Canadian Journal of Botany* **72**: 801-807.
- Nihlgard B, Lindgren L. 1977.** Plant biomass, primary production and bioelements of three mature beech forests in south Sweden. *Oikos* **28**: 95-104.
- Èstbye E, Berg A, Blehr O, Espeland M, Gaare E, Hagen A, Hesjedal O, Hagvar S, Kjølsvik S, Lien L, Mysterud I, Sandhaug A, Skar H-J, Skartveit A, Skre O, Skogland T, Solhøy T, Stenseth NC, Wielgolaski FE. 1975.** Hardangervidda, Norway. In: Rosswall T, Heal OW, eds. *Structure and function of tundra ecosystems*. Stockholm, Sweden: Ecology Bulletin, 225-264.
- Pandey C, Singh J. 1992.** Rainfall and grazing effects on net primary productivity in a tropical Savanna, India. *Ecology* **73**: 2007-2021.
- Pandya SM, Sidha VK. 1987.** Seasonal variation in plant biomass and primary production in desert vegetation at Khavda of Kutch District (Gujarat), India. *Tropical Ecology* **28**: 57-68.
- Persson HA. 1983.** The distribution and productivity of fine roots in boreal forests. *Plant and Soil* **71**: 87-101.

- Persson HA. 1978.** Root dynamics in a young Scots pine stand in Central Sweden. *Oikos* **30**: 508-519.
- Persson HA. 1980.** Spatial distribution of fine-root growth, mortality and decomposition in a young Scots pine stand in Central Sweden. *Oikos* **34**: 77-87.
- Picard D. 1979.** Evaluation of the organic matter supplied to the soil by the decay of the roots of an intensively managed *Panicum maximum* sward. *Plant and Soil* **51**: 491-501.
- Piedade MTF, Junk WJ, De Mello JAN. 1992.** A floodplain grassland in the central Amazon. In: Long SP, Jones MB, Roberts MJ, eds. *Primary productivity of grass ecosystems*. London, UK: Chapman & Hall, 127-158.
- Powell SW, Day FP Jr. 1991.** Root production in four communities in the Great Dismal Swamp (Virginia, North Carolina, USA). *American Journal of Botany* **78**: 288-297.
- Rajwar GS, Ramola VC. 1990.** Variation in net primary production of east and west facing slope montane grasslands of Uttarkashi, Garhwal Himalaya. *Indian Forester* **116**: 717-722.
- Ram J, Singh SP, Singh JS. 1991.** Effect of fertilizer on plant biomass distribution and net accumulation rate in an alpine meadow in central Himalaya, India. *Journal of Range Management* **44**: 140-143.
- Rana BS, Rikhari HC. 1994.** Biomass and productivity of different forest grazing lands in central Himalaya. *Proceedings of the Indian National Science Academy B (Biological Sciences)* **60**: 129-135.
- Rawat YS, Bhatt YD, Pande P, Singh SP. 1994.** Production and nutrient cycling in *Arundinaria falcata* and *Lantana camara*: the two converted ecosystems in central Himalaya. *Tropical Ecology* **35**: 53-67.
- Reader RJ, Stewart JM. 1972.** The relationship between net primary production and accumulation for a peatland in southeastern Manitoba. *Ecology* **53**: 1024-1037.
- Redente EF, Biondini ME, Moore JC. 1989.** Observations on biomass dynamics of a crested wheatgrass and native shortgrass ecosystem in southern Wyoming. *Journal of Range Management* **42**: 113-118.
- Redmann RE. 1992.** Primary productivity. In: Coupland RT, ed. *Natural grasslands : introduction and Western Hemisphere*. New York, USA: Elsevier, 75-93.
- Rikhari HC, Negi GCS, Pant GB, Rana BS, Singh SP. 1992.** Phytomass and primary productivity in several communities of a central Himalayan alpine meadow, India. *Arctic and Alpine Research* **24**: 344-351.



- Roman CT, Daiber FC. 1984.** Aboveground and belowground primary production dynamics of two Delaware Bay tidal marshes. *Bulletin of the Torrey Botanical Club* **111**: 34-41.
- Roswall T, Flower-Ellis JGK, Johansson LGJS, Ryden BE, Sonesson M. 1975.** Stordalen (Abisko), Sweden. In: Roswall T, Heal OW, eds. *Structure and function of tundra ecosystems*. Stockholm, Sweden: Ecology Bulletin, 265-294.
- Ruess RW, Hendrick RL, Bryant JP. 1998.** Regulation of fine root dynamics by mammalian browsers in early successional Alaskan taiga forests. *Ecology* **79**: 2706-2720.
- Ruess RW, van Cleve K, Yarie J, Viereck LA. 1996.** Contributions of fine root production and turnover to the carbon and nitrogen cycling in taiga forests of the Alaskan interior. *Canadian Journal of Forest Research* **26**: 1326-1336.
- Saggar S, Hedley C, Mackay AD. 1997.** Partitioning and translocation of photosynthetically fixed  $^{14}\text{C}$  in grazed hill pastures. *Biology and Fertility of Soils* **25**: 152-158.
- Sah VK, Saxena AK, Singh V. 1994.** Seasonal variation in plant biomass and net primary productivity of grazing lands in the forest zone of Garhwal Himalaya. *Tropical Ecology* **35**: 115-131.
- San Jose JJ, Berrade F, Ramirez J. 1982.** Seasonal changes of growth, mortality and disappearance of belowground root biomass in the Trachypogon savanna grass. *Acta Oecologia Plantarum* **3**: 347-58.
- Santantonio D, Grace JC. 1987.** Estimating fine root production and turnover from biomass and decomposition data: a compartment flow model. *Canadian Journal of Forest Research* **17**: 900-908.
- Santantonio D, Hermann RK. 1985.** Standing crop, production, and turnover of fine roots on dry, moderate, and wet sites of mature Douglas-fir in western Oregon
- Santantonio D, Hermann RK, Overton WS. 1977.** Root biomass studies in forest ecosystems. *Pedobiologia* **17**: 1-31.
- Saterson KA, Vitousek PM. 1984.** Fine-root biomass and nutrient cycling in *Aristida stricta* in a North Carolina coastal plain savanna. *Canadian Journal of Botany* **62**: 823-829.
- Saxena AK, Rana BS, Rao OP, Singh BP. 1996.** Seasonal variation in biomass and primary productivity of para grass (*Brachiaria mutica*) under a mixed tree stand and in an adjacent open area in northern India. *Agroforestry Systems* **33**: 75-85.

- Scholes RJ, Hall DO. 1996.** The carbon budget of tropical savannas, woodlands and grasslands. In: Breymer AI, Hall DO, Melillo JM, Agren GI, eds. *Global change: effects on coniferous forests and grasslands*. Chichester, New York, USA: John Wiley & Sons Ltd, 69-100.
- Scholes RJ, Walker BH. 1993.** Primary production. In: Scholes RJ, Walker BH, eds. *An African savanna: synthesis of the Nylsveley study*. Cambridge, UK: Cambridge University Press, 144-167.
- Schroth G, Zech W. 1995.** Above- and below-ground biomass dynamics in a sole cropping and an alley cropping system with *Gliricidia sepium* in the semi-deciduous rainforest zone of West Africa. *Agroforestry Systems* **31**: 181-198.
- Schubauer JP, Hopkinson CS. 1984.** Above- and belowground emergent macrophyte production and turnover in a coastal marsh ecosystem, Georgia. *Limnology and Oceanography* **29**: 1052-1065.
- Shackleton CM, McKenzie B, Granger JE. 1988.** Seasonal changes in root biomass, root/shoot ratios and turnover in two coastal grassland communities in Transkei. *South African Journal of Botany* **54**: 465-471.
- Shankar U, Pandey HN, Tripathi RS. 1993.** Phytomass dynamics and primary productivity in humid grasslands along altitudinal and rainfall gradients. *Acta Oecologica* **14**: 197-209.
- Shaver GR, Billings WD. 1975.** Root production and root turnover in a wet tundra ecosystem, Barrow, Alaska. *Ecology* **56**: 401-409.
- Shaver GR, Chapin FS III. 1991.** Production: biomass relationships and element cycling in contrasting arctic vegetation types. *Ecological Monographs* **61**: 1-31.
- Sims PL, Singh JS. 1978.** The structure and function of ten western North American grasslands. III. Net primary production, turnover and efficiencies of energy capture and water use. *Journal of Ecology* **66**: 573-597.
- Singh JS, Joshi MC. 1979.** Tropical grasslands. Primary production. In: Coupland RT, ed. *Grassland ecosystems of the World*. Cambridge, UK: Cambridge University Press, 197-218.
- Singh JS, Singh L, Pandey CB. 1991.** Savannization of dry tropical forest increases carbon flux relative to storage. *Current Science* **61**: 477-480.
- Singh JS, Yadava PS. 1974.** Seasonal variation in composition, plant biomass and net primary productivity of a tropical grassland at Kurukshetra, India. *Ecological Monographs* **44**: 351-76.

- Singh KP, Singh RP. 1981.** Seasonal variation in biomass and energy of small roots in tropical dry deciduous forest, Varanasi, India. *Oikos* **37**: 88-92.
- Singh RS. 1993.** Effect of winter fire on primary productivity and nutrient concentration of a dry tropical savanna. *Vegetatio* **106**: 63-71.
- Smith KK, Good RE, Good NF. 1979.** Production dynamics for above and belowground components of a New Jersey, USA, *Spartina alterniflora* tidal marsh. *Estuarine and Coastal Marine Science* **9**: 189-202.
- Smith RIL, Walton DWH. 1975.** South Georgia, subantarctic. In: Rosswall T, Heal OW, eds. *Structure and function of tundra ecosystems*. Stockholm, Sweden: Ecology Bulletin, 399-423.
- Steele SJ, Gower ST, Vogel JG, Norman JM. 1997.** Root mass, net primary production and turnover in aspen, jack pine, and black spruce forests in Saskatchewan and Manitoba, Canada. *Tree Physiology* **17**: 577-587.
- Stevenson MJ, Day FP. 1996.** Fine-root biomass distribution and production along a barrier island chronosequence. *American Midland Naturalist* **135**: 205-217.
- Strugnell RG, Pigott CD. 1978.** Biomass, shoot-production and grazing of two grasslands in the Rwenzori National Park, Uganda. *Journal of Ecology* **66**: 73-96.
- Sundarapandian SM, Swamy PS. 1996a.** Influence of herbaceous species composition on fine root biomass production in disturbed and undisturbed deciduous forests of Western Ghats in India. *Acta Oecologica* **17**: 163-176.
- Sundarapandian SM, Swamy PS. 1996b.** Fine root biomass distribution and productivity patterns under open and closed canopies of tropical forest ecosystems at Kodayar in Western Ghats, South India. *Forest Ecology and Management* **86**: 181-192.
- Sundriyal RC, Joshi AP. 1990.** Effect of grazing on standing crop, productivity and efficiency of energy capture in an alpine grassland ecosystem at Tungnath (Garhwal Himalaya), India. *Tropical Ecology* **31**: 84-97.
- Symbula M, Day FP Jr. 1988.** Evaluation of two methods for estimating belowground production in a freshwater swamp forest. *American Midland Naturalist* **120**: 405-415.
- Szanser M. 1997.** Root production and biomass of *Arrhenatheretalia* meadows of different age. *Ekologia Polska* **45**: 633-646.
- Tiwari SC. 1986.** Variations in net primary production of Garhwal Himalayan grasslands. *Tropical Ecology* **27**: 166-173.

- Valiela I, Teal JM, Persson NY. 1976.** Production and dynamics of experimentally enriched salt marsh vegetation: belowground biomass. *Limnology and Oceanography* **21**: 245-252.
- van Praag HJ, Sougnez-Remy S, Weissen F, Carletti G. 1988.** Root turnover in a beech and a spruce stand of the Belgian Ardennes. *Plant and Soil* **105**: 87-103.
- Vogt KA. 1991.** Carbon budgets of temperate forest ecosystems. *Tree Physiology* **9**: 69-86.
- Vogt KA, Grier CC, Meier CE, Edmonds RL. 1982.** Mycorrhizal role in net primary production and nutrient cycling in *Abies amabilis* ecosystems in western Washington. *Ecology* **63**: 370-380.
- Vogt KA, Grier CC, Vogt DJ. 1986.** Production, turnover, and nutrient dynamics of above- and belowground detritus of world forest. *Advances in Ecological Research* **15**: 303-377.
- Vogt KA, Vogt DJ, Palmiotto PA, Boon P, O'Hara J, Asbjornsen H. 1996.** Review of root dynamics in forest ecosystems grouped by climate, climatic forest type and species. *Plant and Soil* **187**: 159-219.
- Vogt KA, Vogt JD, Moore EE, Fatuga BA, Redlin MR, Edmonds RL. 1987.** Conifer and angiosperm fine-root biomass in relation to stand age and site productivity in Douglas-fir ecosystems. *Journal of Ecology* **75**: 857-870.
- Weaver JE, Zink E. 1946.** Annual increase of underground materials in three range grasses. *Ecology* **27**: 115-127.
- Webber PJ, Miller PC, Chapin FS III, McCown BH. 1980.** 6. The vegetation: pattern and succession. In: Brown J, Miller PC, Tieszen LL, Bunnell FL, eds. *An Arctic ecosystem*. Stroudsburg, PA, USA: Dowden, Hutchinson & Ross, 186-218.
- Wentz WA, Chamie JPM. 1980.** Determining the belowground productivity of *Chamaedaphne calyculata*, a peatland shrub. *International Journal of Ecology and Environmental Sciences* **6**: 1-4.
- White DS, Howes BL. 1994.** Translocation, remineralization, and turnover of nitrogen in the roots and rhizomes of *Spartina alterniflora* (Gramineae). *American Journal of Botany* **81**: 1225-1234.
- Whittaker RH, Bormann FH, Likens GE, Siccama TG. 1974.** The Hubbard Brook ecosystem study: forest biomass and production. *Ecological Monographs* **44**: 233-252.

**Whittaker RH, Woodwell GM. 1969.** Structure, production and diversity of the oak-pine forest at Brookhaven, New York. *Journal of Ecology* **57**: 155-174.