

## References

Scurlock, J.M.O., K. Johnson and R.J. Olson. 2015. **NPP Grassland Biome: Estimates from Biomass Dynamics for 31 Sites, 1948-1994, R1**. Data set available on-line [<http://daac.ornl.gov>] from Oak Ridge National Laboratory Distributed Active Archive Center, Oak Ridge, Tennessee, USA.  
<http://dx.doi.org/10.3334/ORNLDAAAC/654>

### References cited in Grassland\_NPP\_site\_summary.csv:

Abrams, M.D., A.K. Knapp, and L.C. Hulbert (1986) A ten year record of above-ground biomass in a Kansas tallgrass prairie: effects of fire and topographic position. *American J. Botany* **73**, 1509-1515.

Christie, E.K. (1978) Ecosystem processes in semi-arid grasslands. I. Primary production and water use of two communities possessing different photosynthetic pathways. *Australian J. Agricultural Research* **29**, 773-787.

Coupland, R.T. (1973) Producers: I. Dynamics of Aboveground Standing Crop. Technical Report No. 27, Matador Project, Canadian Committee for the International Biological Program, University of Saskatchewan, Saskatoon.

Daubenmire, R. (1972) Ecology of *Hyparrhenia rufa* in derived savanna in north-western Costa Rica. *J. Applied Ecology* **9**, 11-23.

Defosse, G.E., M.B. Bertiller and J.O. Ares (1990) Above-ground phytomass dynamics in a grassland steppe of Patagonia, Argentina. *J. Range Management* **43**, 157-160.

Garcia-Moya, E. and P. Montanez C. (1992) Saline grassland near Mexico City. In: *Primary Productivity of Grass Ecosystems of the Tropics and Sub-tropics*. (Long, S.P., M.B. Jones and M.J. Roberts, eds.). Chapman and Hall, London. pp. 70-99.

Gilmanov, T.G., W.J. Parton and D.S. Ojima (1997) Testing the 'CENTURY' ecosystem level model on data sets from eight grassland sites in the former USSR representing a wide climatic/soil gradient. *Ecological Modelling* **96**, 191-210.

Kamnalrut, A. and J.P. Evenson (1992) Monsoon grassland in Thailand. In: *Primary Productivity of Grass Ecosystems of the Tropics and Sub-tropics*. (Long, S.P., M.B. Jones and M.J. Roberts, eds.). Chapman and Hall, London. pp. 100-126.

Kinyamario, J.I. and S.K. Imbamba (1992) Savanna at Nairobi National Park, Nairobi. In: *Primary Productivity of Grass Ecosystems of the Tropics and Sub-tropics*. (Long, S.P., M.B. Jones and M.J. Roberts, eds.). Chapman and Hall, London. pp. 25-69.

Lauenroth, W.K. and O.E. Sala (1992) Long-term forage production of North American

- shortgrass steppe. *Ecological Applications* **2**, 397-403.  
 [Lomnicki, A., E. Bandola and K. Jankowska (1968) Modification of the Weigert-Evans method for estimation of net primary production. *Ecology* **49**, 147-149.]
- Menaut, J-C. and J. Cesar (1979) Structure and primary productivity of Lamto savannas, Ivory Coast. *Ecology* **60**, 1197-1210.
- San Jose, J.J. and E. Medina (1976) Organic matter production in the *Trachypogon* savanna at Calabozo, Venezuela. *Tropical Ecology* **17**, 113-124.
- Scholes, R.J. and B.H. Walker (1993) *An African Savanna: synthesis of the Nylsvley study*. Cambridge University Press. 306 pp.
- Sims, P.L., J.S. Singh and W.K. Lauenroth (1978) The structure and function of ten western North American grasslands. I. Abiotic and vegetational characteristics. *Journal of Ecology* **66**, 251-285.
- Sims, P.L. and J.S. Singh (1978) The structure and function of ten western North American grasslands. III. Net primary production, turnover and efficiencies of energy capture and water use. *Journal of Ecology* **66**, 573-597.
- Singh, J.S. and P.S. Yadava (1974) Seasonal variation in composition, plant biomass and net primary productivity of a tropical grassland at Kurukshetra, India. *Ecological Monographs* **44**, 351-376.
- Togtohyn, Chuluun, D.S. Ojima, Jargalsaihan Luvsandorjiin, J. Dodd and S. Williams (1996) Simulation studies of grazing in the Mongolian steppe. In: Proc. 5<sup>th</sup> Intl. Rangelands Congress, Salt Lake City, USA, July 1995, Vol. I. (N.E. West, ed.) Society for Range Management, Denver. pp. 561-562.
- Wallentinus, H.-G. (1973) Above-ground primary production of a *Juncetum gerardi* on a Baltic sea-shore meadow. *Oikos* **24**, 200-219.
- Williamson, P. (1976) Above-ground primary production of chalk grassland allowing for leaf death. *Journal of Ecology* **64**, 1059-1075.
- Xiao Xiangming, Jiang Shu, Wang Yifeng, D.S. Ojima and C.D. Bonham (1995) Temporal variation in aboveground biomass of *Leymus chinense* steppe from species to community levels in the Xilin River Basin, Inner Mongolia, China. *Vegetatio* **123**, 1-12.
- Xiao, X.M., D. Chen, Y.M. Peng, X.Y. Cui and D.S. Ojima (1996) Observation and modeling of plant biomass of meadow steppe in Tumugi, Xingan league, Inner Mongolia, China. *Vegetatio* **127**, 191-201.